

FORM PTO-1390 (REV. 10-2000)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER K0448/7009
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371		U.S. APPLICATION NO. (If known, see 37 CFR 1.5) 09/890224	
INTERNATIONAL APPLICATION NO. PCT/JP00/00459	INTERNATIONAL FILING DATE 28 January 2000 (28.01.00)	PRIORITY DATE CLAIMED 28 January 1999 (28.01.99)	
TITLE OF INVENTION SHEET-TYPE PACKS			
APPLICANT(S) FOR DO/EO/US MUTA, Kazunori; KOSE, Yasuhisa; OISHI, Shiegehiro; HINOTANI, Tomoyuki			
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:			
<ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 3. <input checked="" type="checkbox"/> This is an express request to promptly begin national examination procedures (35 U.S.C. 371(f)). 4. <input checked="" type="checkbox"/> The US has been elected by the expiration of 19 months from the earliest claimed priority date (PCT Article 31). 5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2)). <ol style="list-style-type: none"> a. <input checked="" type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau). b. <input type="checkbox"/> has been transmitted by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US). 6. <input checked="" type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)). <ol style="list-style-type: none"> a. <input checked="" type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau). b. <input type="checkbox"/> has been transmitted by the International Bureau. 7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)). <ol style="list-style-type: none"> a. <input type="checkbox"/> are attached hereto (required only if not transmitted by the International Bureau). b. <input type="checkbox"/> have been communicated by the International Bureau. c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. d. <input checked="" type="checkbox"/> have not been made and will not be made. 8. <input type="checkbox"/> An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). 9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. <input checked="" type="checkbox"/> An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(C)(5)). 			
Items 11. To 16. Below concern document(s) or information included: <ol style="list-style-type: none"> 11. <input checked="" type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 12. <input checked="" type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 13. <input checked="" type="checkbox"/> A FIRST preliminary amendment. 14. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment. 15. <input type="checkbox"/> A substitute specification. 16. <input type="checkbox"/> A change of power of attorney and/or address letter. 17. <input type="checkbox"/> A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C.1.821-1.825. 18. <input type="checkbox"/> A second copy of the published international application under 35 U.S.C. 154(d)(4). 19. <input type="checkbox"/> A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4). 20. <input checked="" type="checkbox"/> Other items or information: Copy of PCT/RO/101 form w/ English Translation Verification of Translation of Application as Filed (English) Verification of Translation of Written Opinion (English) Verification of Translation of International Preliminary Examination Report Copy of International Published Application w/Search Report (and English translation of Search Report) Copy of PCT/IB/301,304,308,332,346 Express Mail Label No. EL819462562US Date Mailed: July 27, 2001 			

U.S. APPLICATION NO. (If known, see 37 CFR 1.15)		INTERNATIONAL APPLICATION PCT/JP00/00459	ATTORNEY'S DOCKET NUMBER K0448/7009
09/890224		CALCULATIONS PTO USE ONLY	
<p>21. <input checked="" type="checkbox"/> The following fees are submitted:</p> <p>BASIC NATIONAL FEE (37 CFR 1.492(a)(1)-(5)):</p> <p>Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$1000.00</p> <p>International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$860.00</p> <p>International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee paid to USPTO (37 CFR 1.445(a)(2)).paid to USPTO \$710.00</p> <p>International preliminary examination fee paid to USPTO (37 CFR 1.482) But all claims did not satisfy provisions of PCT Article 33(1)-(4) \$690.00</p> <p>International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00</p> <p>ENTER APPROPRIATE BASIC FEE AMOUNT = 860.00</p>			
<p>Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)). \$860.00</p>			
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE
Total Claims	13-20 =	0	X \$18.00 \$0.00
Independent Claims	1-3 =	0	X \$80.00 \$0.00
MULTIPLE DEPENDENT CLAIM(S) (if applicable)		+\$270.00 \$270.00	
TOTAL OF ABOVE CALCULATIONS		= \$1130.00	
<p>Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by $\frac{1}{2}$. \$</p>			
<p>SUBTOTAL = \$1130.00</p>			
<p>Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)). \$</p>			
TOTAL NATIONAL FEE		= \$1130.00	
<p>Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate coversheet (37 CFR 3.28, 3.31). \$40.00 per property + \$40.00</p>			
TOTAL FEES ENCLOSED		= \$1170.00	
		<p>Amount to be: \$ refunded charged \$</p>	
<p>a. <input checked="" type="checkbox"/> A check in the amount of \$ <u>1170.00</u> To cover the above fees is enclosed.</p> <p>b. <input type="checkbox"/> Please charge my Deposit Account No. _____ In the amount of \$ _____ To cover the above fees. A duplicate copy of this sheet is enclosed.</p> <p>c. <input checked="" type="checkbox"/> The commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 23/2825. A duplicate of this sheet is enclosed.</p> <p>d. <input type="checkbox"/> Fees are to be charged to a credit card. WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.</p>			
<p>NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b) must be filed and granted to restore the application to pending status.</p>			
SEND ALL CORRESPONDENCE TO		 John R. Van Amsterdam NAME	
WOLF, GREENFIELD & SACKS, P.C. 600 Atlantic Avenue Boston, Massachusetts 02210 Tel: (617) 720-3500		40,212 REGISTRATION NO	
 CUSTOMER NUMBER		23628	

09/890224
JC17 Rec'd PCT/PTO 27 JUL 2001

*Mailing by Express Mail
Label No. EL819462562US
Date of Deposit: July 27, 2001*

ATTORNEY'S DOCKET NO. K0448/7009

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : MUTA et al.
Int'l Application No. : PCT/JP00/00459
Int'l Filing Date : 28 January 2000 (28.01.00)
Earliest Priority Date : 28 January 1999 (28.01.99)
For : SHEET-TYPE PACKS

Box PCT
Commissioner for Patents
Washington, DC 20231

PRELIMINARY AMENDMENT

Sir:

Please amend the application as follows:

In the Specification

Please add the following section as the first section of the specification following the title. A copy of the new section is provided on a separate page attached hereto.

Related Applications

This application is a national stage filing under 35 U.S.C. §371 of PCT application PCT/JP00/00459, filed January 28, 2000. Foreign priority benefits are claimed under 35 U.S.C. §119(a)-(d) or 35 U.S.C. §365(b) of Japan application number 11-19428, filed January 28, 1999.

In the Claims

Please amend the claims as follows:

3.(amended) The sheet-shaped pack agent according to claim 1, characterized in that the mixing proportion of the fruit extract in a total amount of a base agent is 0.0003-33.87 wt.%.

7.(amended) The sheet-shaped pack agent according to claim 1, characterized in that a glycol is further contained.

9.(amended) The sheet-shaped pack agent according to claim 7, characterized in that the glycol is polyethylene glycol and/or polypropylene glycol.

10.(amended) The sheet-shaped pack agent according to claim 1, characterized in that the fruit extract comprises one or more species selected from the group consisting of rose fruit extract, orange extract, orange juice, raspberry extract, kiwi extract, cucumber extract, gardenia extract, grapefruit extract, crataegus fruit extract, Japanese pepper extract, crataegus extract, common juniper extract, jujube extract, duke extract, tomato extract, grape extract, loofah extract, lime juice, apple extract, apple juice, lemon extract and lemon juice.

11.(amended) The sheet-shaped pack agent according to claim 1, characterized in that it is used as cosmetics for the beauty skin or a quasi-drug.

Remarks

Applicant has amended the specification to add priority claim information for the above-identified U.S. national stage application. Applicant has amended the claims to adjust claim dependencies. No new matter has been added. Copies of the new section and amended claims are attached hereto on a separate page.

Respectfully submitted,



John R. Van Amsterdam, Reg. No. 40,212
Attorneys for Applicants
WOLF, GREENFIELD & SACKS, P.C.
600 Atlantic Avenue
Boston, MA 02210-2211
(617) 720-3500

Attorney Docket No. K0448/7009
Date: 27 July 2001
X07/28/01

New Section Added**Related Applications**

This application is a national stage filing under 35 U.S.C. §371 of PCT application PCT/JP00/00459, filed January 28, 2000. Foreign priority benefits are claimed under 35 U.S.C. §119(a)-(d) or 35 U.S.C. §365(b) of Japan application number 11-19428, filed January 28, 1999.

Amended Claims

3.(amended) The sheet-shaped pack agent according to claim[s] 1 [or 2], characterized in that the mixing proportion of the fruit extract in a total amount of a base agent is 0.0003-33.87 wt.%.

7.(amended) The sheet-shaped pack agent according to [any one of] claim[s] 1 [to 6], characterized in that a glycol is further contained.

9.(amended) The sheet-shaped pack agent according to claim[s] 7 [or 8], characterized in that the glycol is polyethylene glycol and/or polypropylene glycol.

10.(amended) The sheet-shaped pack agent according to [any one of] claim[s] 1 [to 9], characterized in that the fruit extract comprises one or more species selected from the group consisting of rose fruit extract, orange extract, orange juice, raspberry extract, kiwi extract, cucumber extract, gardenia extract, grapefruit extract, crataegus fruit extract, Japanese pepper extract, crataegus extract, common juniper extract, jujube extract, duke extract, tomato extract, grape extract, loofah extract, lime juice, apple extract, apple juice, lemon extract and lemon juice.

11.(amended) The sheet-shaped pack agent according to [any one of] claim[s] 1 [to 10], characterized in that it is used as cosmetics for the beauty skin or a quasi-drug.

Title of the InventionSheet-type packs**Technical Field**

5 The invention relates to a sheet-shaped pack agent. More specifically, it relates to a sheet-shaped pack agent giving a wet feeling to the skin which is suitable for a cosmetics or a quasi-drug used for skindressing and beauty.

Background Art

10 As a pack preparation, a pack having an excellent water holding capacity and a low removal strength, which contains polyacrylates, polyhydric alcohols and water as its main components, is described in JP, A, 54-49334. Also, in JP, B, 1-46485, a sheet-shaped pack agent using a cross-linking type aqueous gel as a base material, and further in JP, A, 5-295004, a pack mixed with a naturally derived semisynthetic component as a moisturising agent and a thickner are disclosed.

15 However, a conventional pack has a tendency to lack water supply and moisturising effect for the skin or it tends not to release a moisturising component; and consequently, it has the problem that a pack effect for the skin is not sufficient.

Disclosure of the Invention

20 Thus the problem to be solved by the invention is to provide a sheet-shaped pack agent which solves the above conventional problems, shows a beauty-skin effect keeping an appropriate

moisture to skin and still has a pack effect excellent in usability and safety for the skin.

The inventors made extensive research to solve the above problems and found out their solution.

5 Namely, the invention relates to a sheet-shaped pack agent containing a fruit extract.

A sheet-shaped pack agent of the invention essentially consists of a base agent and a base fabric e.g. a nonwoven fabric. The base agent usually contains a moisturising agent, a water soluble polymer, a cross-linking agent and water, and further this can appropriately contain an antiseptic, a beauty-skin auxiliary component (for example, dipotassium glycyrrhizinate, horse chestnut extract, allantoin, water soluble placenta extract, clove oil, sage oil or the like), antioxidant, an adhesiveness donating agent, dissolution agent, color, perfume, surfactant, UV absorber, an inorganic filler, a pH adjusting agent etc. in a suitable amount.

Also, in a sheet-shaped pack agent of the invention it is preferable that the density of a fruit extract is 0.95-1.20, 20 the pH is 3.3-5.0 and the sugar content is 19-23% by weight.

Further, in a sheet-shaped pack agent of the invention, the mix proportion of a fruit extract in a total amount of a base agent is preferably 0.0003-33.87 wt.% and the proportion of the fruit extract in a total amount of a moisturising agent 25 is preferably 0.03-96.77 wt.%. It is preferable that the base

agent consists of a moisturising agent 1-35 wt.%, a water soluble polymer 3-25 wt.%, a cross-linking agent 0.05-20 wt.%, water 60-95 wt.% and an antiseptic 0.005-10 wt.%.

Also, a sheet-shaped pack agent of the invention may further 5 contain a glycol in addition to a fruit extract. In this case, the mix ratio of the glycol to the fruit extract is preferably 1-35:0.01-30, and the glycol is preferably polyethylene glycol and/or polypropylene glycol.

In the invention, a fruit extract is one or more species 10 of fruit extracts selected from the group comprising rose fruit extract, orange extract, orange juice, raspberry extract, kiwi extract, cucumber extract, gardenia extract, grapefruit extract, crataegus fruit extract, Japanese pepper extract, crataegus extract, common juniper extract, jujube extract, duke extract, tomato extract, grape extract, loofah extract, lime juice, apple extract, apple juice, lemon extract or lemon juice.

Further, according to the invention are provided cosmetics 15 for the skin cosmetic or a quasi-drug using the above sheet-shaped pack agent.

20 **Detailed Description of Preferred Embodiment**

In the following, the embodiment of a sheet-shaped pack agent according to the invention will be explained in more details, but it is to be understood that the invention is not limited thereby in any way.

25 In the invention, the fruit extract is contained in a

moisturising agent and is one in which fruit and/or pericarp are extracted by either one or a mixture of not less than two from water, ethanol, propylene glycol, 1,3-butylene glycol and polyethylene glycol. Expediently are mixed one or more species 5 from rose fruit extract, orange extract, orange juice, raspberry extract, kiwi extract, cucumber extract, gardenia extract, grape fruit extract, crataegus fruit extract, Japanese pepper extract, crataegus extract, common juniper extract, jujube extract, duke extract, tomato extract, grape extract, loofah extract, lime juice, apple extract, apple juice, lemon extract or lemon juice. 10 These fruit extracts are appropriately mixed in a suitable amount, though they are mixed preferably in 0.0003-33.87 wt.%, more preferably in 0.0025-20 wt.%. Here, the proportion of the fruit extract in a total amount of a moisturising agent is 0.03-96.77 wt.%, preferably 0.04-83.33 wt.%, more preferably 0.05-80.00 wt.%, and it is more preferable to let the sheet-shaped pack 15 agent contain the fruit extract or the mixture of more than two fruit extracts whose density is made in the range of 0.95-1.20, preferably 0.98-1.10, and the pH is in the range of 3.3-5.0, preferably 3.5-4.0, and further sugar content is in the range 20 of 19-23 wt.%, preferably 20-22 wt.%, and the kinetic viscosity (25°C) is in the range of 2.3-2.8 mm²/s, preferably 2.5-2.7 mm²/s, the vitamin C (ascorbic acid) content is not less than 10.0 μg, because the irritancy toward the skin is more alleviated, 25 and not only a relaxant effect by a soft aroma but a beauty-skin

effect is brought extremely better. Also, the fruit extract has an effect as perfume by the fragrance peculiar to each extract.

Further, as a glycol used likewise as a moisturising agent in the invention, polyethylene glycol and/or polypropylene glycol, 5 in particular polyethylene glycol of the average molecular weight 200-600, polypropylene glycol of the average molecular weight 500-3000, and the like having an polyether structure are preferable, and one or more species of these can be used by mixing.

The mix amount of these moisturising agents based on a total amount of a base agent is determined considering an adhesiveness and agglutinativeness of a preparation, a water holding capacity and a shape retaining property before use, uniformity of gel, workability, usability at the time of use, and the like, though it is preferably 1-35 wt.%, more preferably 5-30 wt.%, and furthermore preferably 5-25 wt.%.

On the one hand, the mix proportion of the moisturising agents consisting of two components of the glycol and the fruit extract is also determined considering an adhesiveness and agglutinativeness of a preparation, a water holding capacity and a shape retaining property before use, uniformity of gel, workability, usability at the time of use, further a skin-beauty effect by vitamin C and α -hydroxy acid contained in the fruit extract, and a soft and refreshing effect by a faint fragrance of the fruit extract, and the like, though it is preferably in 20 the range of 1-35:0.01-30, more preferably 5-25:0.01-25, and 25

furthermore preferably 5-20:0.01-20.

A pack containing a moisturising agent consisting of the glycol and the fruit extract is preferably prepared so that said moisturising agent is in a mix amount of 5-25 wt.%, and a mix proportion of the glycol and the fruit extract contained therein is in the range of 5-20:0.01-20. Here, the proportion of the glycol in the total moisturising agent is in the range of 3.23-99.97 wt.%, preferably 16.67-99.96 wt.%, and more preferably 20.00-99.95 wt.%.

Illustrative of the aqueous polymers are gelatin, polyacrylic acids, salts thereof or partial neutralization products thereof or the like, and each can be used individually or by mixing more than two species. As salts of polyacrylate, metal salts such as sodium, lithium and potassium are preferable, and one whose average degree of polymerization is 1000-100000 is expediently used. The mixing amount of these aqueous polymers is determined in consideration of an adhesiveness and agglutinativeness of a preparation, a shape retaining property, water absorption, non-uniformity of adhesive mass, lowering of workability, lowering of usability, and the like. However, it is usually used in the range of preferably 3-25 wt.%, more preferably 5-20 wt.%, and yet more preferably 5-10 wt.%.

As the cross-linking agent, a water slight soluble aluminum compound or a polyfunctional epoxy compound can be used by mixing one or more species. Illustrative of the water slight soluble

aluminum compounds are aluminum hydroxide, aluminum silicate
hydrate, synthetic aluminum silicate, kaolin, aluminum acetate,
aluminum lactate, aluminum stearate, dry aluminum hydroxide gel,
magnesium metasilicate aluminate, magnesium silicate aluminate,
5 aluminum dihydroxy aminoacetate, synthetic hydrotarcite
aluminum magnesium silicate and the like, and one or more species
of these can be used by mixing. Use of the water slight soluble
aluminum compounds gives gel an appropriate strength in an
initial physical property as a filler, as well as an inhibitory
10 effect for skin irritancy by the antacid action and a skin
astringent action by trace aluminum ion, and along with this
aluminum ion dissolves into the preparation in a time course,
showing a function to cover the lowering of the gel strength
owing to a time dependent decomposition of the polymer and a
time dependent cleavage of a cross-linking part of covalent
15 bondings between polymer molecules. Further, the aluminum
dissolution rate can be controlled by adjusting pH.

Illustrative of the above polyfunctional epoxy compounds
are polyethleneglycol diglycidyl ether, ethleneglycol
20 diglycidyl ether, glycerin diglycidyl ether, glycerin
triglycidyl ether, propyleneglycol diglycidyl ether,
polyglycerol polyglycidyl ether, sorbitol polyglycidyl ether,
sorbitan polyglycidyl ether, trimethylolpropane polyglycidyl
ether, pentaerythritol polyglycidyl ether, resorcinol
25 diglycidyl ether, neopentylglycol diglycidyl ether, and one or

more species of these can be used by mixing. An excellent water absorption and shape retaining property can be obtained by use of the polyfunctional epoxy compounds, and they can produce covalent bonding with the water soluble polymers having a 5 carboxyl, amino or hydroxyl groups, or the like, enhancing a gel strength.

The mix amount of these cross-linking agents is determined considering an agglutinativeness and a shape retaining property of a preparation, lowering of a time dependent stability in a physical property of a preparation, lowering of workability, lowering of safety for the skin, lowering of usability, adhesiveness, an excessive increase of viscosity during production, non-uniformity of adhesive mass by gelation, and the like, though it is 0.05-20 wt.%, preferably 0.5-15 wt.%, and more preferably 1-10 wt.%. Further, considering a mix balance of the moisturising agent, use of the water soluble aluminum compound together with the polyfunctional epoxy compound is preferable for a preparation.

As water, a purified water, a sterile water or a natural water are used. Water acts as a dispersion-dissolution agent for the water soluble polymers, the moisturising components, the cross-linking agents, the antiseptics and the like, and especially is important to disperse and dissolve the moisturising agent and the fruit extract uniformly in a 20 preparation. Further, water itself increases usability during 25

the use and after the use, and moves into the skin together with the moisturising agent, bringing an effect to give moisture and tension. Owing to this, the mix amount of water is determined considering an adhesiveness of a preparation, lowering of a water holding capacity before use, lowering of workability, lowering of usability during use, inhibition of adhesiveness and agglutinativeness, lowering of a shape retaining property before use, and the like, though it is added in 60-95 wt.%, preferably 65-90 wt.%, and more preferably 70-85 wt.%. The relative humidity of a preparation itself can be heightened by containing a large amount of water in a preparation, and it becomes possible to drain off effectively a lot of water into the outside, consequently giving moisture to skin and further depriving the heat of vaporization by the evaporation of water into the outside to be able to afford a comfortable refrigerant.

10
15

20

25

Illustrative of the antiseptics are p-oxybenzoic acid ester (for example, methylparaben, ethylparaben, propylparaben), 1,2-pentanediol, benzoic acid, benzoate, salicylate, sorbic acid, sorbate, dehydroacetate, 4-isopropyl-3-methylphenol, 2-isopropyl-5-methylphenol, phenol, hinokitiol, cresol, 2,4,4'-trichloro-2'-hydroxy diphenyl ether, 3,4,4'-trichlorocarbanide, chlorobutanol, benzalkonium chloride and benzethonium chloride, and the other antiseptic known to a person skilled in the art for the purpose, and one or more species of these can be used by mixing. p-Hydroxybenzoic

acid ester is preferable among these. The mix amount is determined considering the putrefaction of a preparation by the appearance of molds or bacteria during storage, lowering of usability during use and after use, an unpleasant feeling by adhesiveness, agglutinativeness, irritancy and antiseptic smell in a preparation, and the like, though it is added in 0.005-10 wt.%, preferably 0.01-5 wt.%, and more preferably 0.01-1 wt.%. As a refrigerant or a cold sensation agent, L-menthol, dl-menthol, dl-camphor, eucalyptus oil, mentha oil, isopulegol, 3-L-menthoxypropane-1,2-diol, methyl pyrrolidonecarboxylate, L-menthyl-3-hydroxybutylate and the like can appropriately be mixed in a suitable amount.

As the antioxidants, can be mixed sodium edetate, ascorbic acid, propyl gallate, butylhydroxyanisol, dibutyl hydroxy toluene, nordihydroguaretic acid, tocopherol, tocopherol acetate and the like.

As the adhesiveness donating agents, can be mixed casein, pullulan, agar, dextran, sodium aluginate, soluble starch, carboxystarch, dextrin, carboxymethyl cellulose, sodium 20 carboxymethyl cellulose, methylcellulose, ethylcellulose, hydroxyethylcellulose, polyvinyl alcohol, polyethylene oxide, polyacrylamide, polyacrylic acid, polyvinylpyrrolidone, carboxyvinyl polymer, polyvinyl ether, polymaleic acid copolymer, methoxyethylene maleicanhydride copolymer, 25 isobutylene maleicanhydride copolymer, polyethylene imine and

the like.

As the dissolution agent can be mixed benzyl alcohol, mentha oil, isopropyl mirystate, crotamiton and the like.

As for pigment, it greatly affects the image of a preparation,
5 and one which provides usability and feeling of an activated skin in a greater degree is preferable. Illustrative of the officially designated Coal-tal Color are, for example, Food Red No.2 (Amaranth), Food Red No.3 (Erythrosine), Food Red No.102 (New Coccine), Food Red No.104-1 (Phloxine), Food Red No.105-1 (Rose Bengale), Food Red No.106 (Acid Red), Food Yellow No.4 (Tartrazine), Food Yellow No.5 (Sunset Yellow FCF), Food Green No.3 (Fast Green FCF), Food Blue No.1 (Brilliant Blue FCF), Food Blue No.2 (Indigo Carmine) and the like, though they are not limited.

As the surfactants, can be mixed an anionic surfactant such as dioctyl sodium sulfosuccinate, alkylsulfate, 2-ethylhexyl alkylsulfate sodium salt or sodium n-dodecyl benzenesulfonate, a cationic surfactant such as hexadecyl trimethylammonium chloride, octadecyl dimethyl benzyl ammonium chloride or 20 polyoxyethylene dodecyl monomethylammonium chloride, and a nonionic surfactant such as polyoxyethylene stearylether, polyoxyethylene tridecylether, polyoxyethylene nonylphenylether, polyoxyethylene octylphenylether, polyoxyethylene monostearate, sorbitan monostearate, sorbitan 25 monopalmitate, sorbitan sesquioleate, polyoxyethylene sorbitan

monolaurate, polyoxyethylene sorbitan monooleate, glycerol monostearate, polyglycerin fatty acid ester or polyoxyethylene octadecyl amine.

As the UV absorbers can be mixed p-aminobenzoic acid,
5 p-aminobenzoate, amyl p-dimethylaminobenzoate, salicilate, methyl anthranilate, umbelliferone, esculin, benzyl silicate, cinoxate, guaiazulene, urocainic acid, 2-(2-hydroxy-5-methylphenyl)benzotriazole, 4-methoxybenzophenone, 2-hydroxy-4-methoxy benzophenone, dioxobenzene, octabenzone, dihydroxy dimethoxybenzophenone, 15 silisobenzene, benzoresorcinol, octyl dimethyl p-aminobenzoate, ethylhexyl p-methoxycinnamate, and the like.

As the inorganic fillers, can be mixed titanium oxide, talc, zinc oxide, silicate hydrate, magnesium carbonate, dibasic calcium phosphate, magnesium silicate, diatomaceous earth, anhydrous silicic acid, bentonite and the like.

As the pH adjusting agents can be mixed acetic acid, formic acid, lactic acid, tartaric acid, oxalic acid, benzoic acid, glycolic acid, malic acid, citric acid, hydrochloric acid, nitric acid, sulfuric acid, sodium hydroxide, potassium hydroxide, 20 methylamine, ethylamine, propylamine, dimethylamine, diethylamine, dipropylamine, trimethylamine, triethylamine, tripropylamine, monomethanolamine, monoethanolamine, monopropanolamine, dimethanolamine, diethanolamine, 25 dipropopanolamine, trimethanolamine, triethanolamine,

tripropanolamine and the like.

The pH of an adhesive mass appropriately mixed in a suitable amount of each of the above components is to be considered not to give irritancy to the skin, preferably in the range of 5-8, 5 more preferably 5.5-7.5, furthermore preferably 6-7.

Further, illustrative of a backing on which an adhesive mass is applied is a flexuous one such as a synthetic resin film of polyethylene, polypropylene, polyethylene terephthalate, ethylene-vinylacetate coplymer, vinyl chloride, polyurethane, polyester, polyamide, rayon or the like, a base fabric such as elastic nonwoven-fabric, nonwoven paper, laminate of elastic nonwoven-fabric or nonwoven paper with the above synthetic resin film or sheet, absorbent cotton or the like, cloth, elastic cloth, paper, cellophane or the like, and those known to a person skilled in the art can appropriately be selected according to the application. Further, a pack layer is applied on the base fabric consisting of a flexuous backing and the surface of this pack layer is covered further with a removable film or paper, whereby the stability of the preparation can be kept. Also, in order 20 to make it easy to apply a pack to the face, a separation line, perforating or the like can be set on the removal paper to make a form which is easy to separate. Furthermore, the color of a base fabric is not particularly limited, though owing to the fact that it greatly affects an image of a preparation and provides 25 usability and feeling of an activated skin in a greater degree,

white, skin color, yellow, red, orange, green, blue, pink, light blue, brown or the like can be cited, and if necessary a shade is preferably adjusted.

In a process for preparing a sheet-shaped pack agent of the invention, the above components are uniformly mixed and/or dissolved in a stirring machine and spreaded on a base fabric of non-dyeing or dyeing, thereon a removable paper is stuck, and it is cut in a shape of the face. Further, parts for eye, nose, mouth and tin are cut in an appropriate shape, whereby it is processed for the convenience of handling. Also, aiming to use in a part of face, it can be processed into a shape to apply well to an aimed part as a nose pack which is applied to nose or an eye-around pack which is applied to around eye. Further, a sheet-shaped pack agent is desirably preserved in a sealed bag or container until use from the view point that contamination under preservation, the decrease of effectiveness by the evaporation of a volatile substance, or the like are prevented.

In a sheet-shaped pack agent of the invention, vitamin C, α -hydroxy acid, or other vitamins contained in the fruit extract act on the skin to activate the skin, and it shows such an excellent effect that its good water holding capacity gives a soft touch to the skin and has fragrance to soften a feeling to make relax. Particularly, a sheet-shaped pack agent in which the moisturising agent in a combination of the glycol and the fruit extract is excellent in adhesiveness and agglutinativeness of the

preparation, a water holding capacity and a shape retaining property before use, does not show irritancy to the skin during use, and is extremely excellent in usability never met before. Further, a sheet-shaped pack agent which makes the water-soluble 5 polymer, the cross-linking agent, water and the antiseptic as main components in addition to this moisturising agent is excellent in adhesiveness and agglutinativeness, a water holding capacity and a shape retaining property before use, and is particularly expedient as a sheet-shaped pack agent which is 10 a soft to the skin and excellent in a beauty-skin action.

In the following, the sheet-shaped pack agent of the invention is explained in more detail by the examples and the test examples. However, the invention is not limited in any way by these.

15 Example 1

Synthetic aluminum silicate 4 wt.% is dispersed in purified water 78.6 wt.%. This is added with gelatin 1 wt.%, ethyleneglycol diglycidyl ether 0.05 wt.%, grapefruit extract 0.045 wt.%, apple extract 0.045 wt.%, orange juice 0.003 wt.%, 20 lemon juice 0.002 wt.%, lime juice 0.005 wt.% and methylparaben 0.2 wt.%, and the mixture is dissolved, further added with the mixture of sodium polyacrylate 6 wt.%, polyethylene glycol 10 wt.% and propylparaben 0.05 wt.% and stirred till these become 25 homogeneous. Subsequently, the mixture is spreaded on a base fabric dyed into a pale orange color to make thickness about

1.4 mm and is stuck with film. Further, after the sticking, it is cut in a shape of the face, and parts of eyes, nose, mouth and tin are cut in an appropriate shape to afford the sheet-shaped pack agent.

5 Examples 2-20

The preparation in the same way as the example 1 using the mix agents and the mix amounts shown in Table 1, Table 2 and Table 3 afforded the sheet-shaped pack agent.

Table 1

		Examples	2	3	4	5	6	7	8	9
Components (%)										
Fruit extract s	Grapefruit extract		5	3		0.3			0.1	
	Raspberry extract									
	Apple extract	0.01	10	15						
	Apple juice									
	Orange extract					5				
	Orange juice	5	2		0.2	5				
	Grape extract									
	Lemon extract				0.3					
	Lemon juice		5	15						
Lime juice			5	10	0.2		0.05			
Density		1.10	1.06	1.02	0.98	1.01	1.20	0.99	1.01	
pH (1→10)		5.0	4.2	4.7	3.3	3.4	4.3	3.5	4.0	
Sugar content (wt%)		21	23	23	20	21	22	19	19	
Polyethylene glycol		25	5			15	5		5	
Polypropylene glycol		10		1	5	10	10	3		
Gelatin		3	5	4	0.9	1	0.5		10	
Sodium polyacrylate			5	3	4	6	7	5	15	
Kaolin			5					15		
Aluminum, acetate				0.5						
Synthetic aluminum silicate						3	5	4		
Sorbitol polyglycidyl ether		0.05			0.01					
Polyethylene glycol diglycidyl ether					0.01	0.1		0.25		
Propyleneglycoldiglycidylether				0.3						
Glycerin diglycidyl ether			0.01		0.02			0.5		
Polyglycerol polyglycidyl ether				0.2						
Glycerin triglycidyl ether					0.01			0.25	0.5	
Methylparaben				1		0.1		9.9	4.5	
Ethylparaben		0.01				0.1	0.1	0.05	0.1	
Propylparaben			0.005		0.01	0.1	0.05	0.1		
Perfume			0.001		0.01					
Water		61.9	60	60	65	63.6	62.4	62	64.4	
Base fabric (dyeing)		Pale red	Non dyeing	Pink	Pale green	Non dyeing	Orange	Green	Yellow	

Table 2

Components (%)	Examples	10	11	12	13	14	15	16	17
Fruit extract s	Grapefruit extract	0.6	0.1				0.00 1	0.00 1	
	Raspberry extract					1	0.00 2		
	Apple extract	1	0.1		0.05		0.00 1	0.00 5	
	Apple juice					0.5	0.00 5		
	Orange extract								
	Orange juice		0.1		0.05			1	
	Grape extract					0.01		0.00 1	
	Lemon extract								2
	Lemon juice	0.02	0.1	0.01					
	Lime juice		0.1						
Density	1.11	1.02	0.95	1.09	1.10	0.99	1.01	1.07	
pH (1→10)	4.2	3.6	3.4	4.6	4.4	4.0	3.9	4.8	
Sugar content (wt%)	19	21	20	22	23	22	21	23	
Polyethylene glycol	15		3		15	5		7	
Polypropylene glycol	5	10	1	1			2	3	
Gelatin	2	0.3	2.5	3	10		3	1	
Sodium polyacrylate	6	4	1		10	8		6	
Kaolin			1			8	10		
Aluminum, acetate					0.01	2	2		
Synthetic aluminum silicate		0.05	1				1	4	
Sorbitol polyglycidyl ether							0.3		
Polyethylene glycol diglycidyl ether		0.05		0.4			0.2		
Propylene glycol diglycidyl ether					0.1		0.25		
Glycerin diglycidyl ether							0.5		
Polyglycerol polyglycidyl ether							0.5	0.05	
Glycerin triglycidyl ether	0.08		0.1				0.25		
Methylparaben	0.3			0.5	0.3			0.1	
Ethylparaben						0.5		0.1	
Propylparaben		0.1	0.4				0.04	0.05	
Perfume								0.00 5	
Water	70	85	90	95	64.6	75	80	68.7	
Base fabric (dyeing)	White	Skin color	Pale yellow	Light blue	Non dyeing	Non dyeing	Non dyeing	Non dyeing	

Table 3

	Examples	18	19	20
Components (%)				
Fruit extract s	Grapefruit extract	3.5		
	Raspberry extract			
	Apple extract		13.5	
	Apple juice			
	Orange extract	0.005		
	Orange juice		3.5	
	Grape extract			0.005
	Lemon extract		7	
	Lemon juice			
Lime juice		3.5		
Density	1.16	1.03	1.10	
pH (1→10)	4.3	4.5	4.4	
Sugar content (wt%)	22	22	23	
Polyethylene glycol		0.5	20	
Polypropylene glycol	0.5		16	
Gelatin	10	7		
Sodium polyacrylate			3.7	
Kaolin				
Aluminum, acetate				
Synthetic aluminum silicate	3			
Sorbitol polyglycidyl ether			0.01	
Polyethylene glycol diglycidyl ether				
Propylene glycol diglycidyl ether			0.04	
Glycerin diglycidyl ether				
Polyglycerol polyglycidyl ether		1		
Glycerin triglycidyl ether	1			
Methylparaben	0.5	0.5	0.25	
Ethylparaben				
Propylparaben				
Perfume				
Water	85	60	60	
Base fabric (dyeing)	Non dyeing	Non dyeing	Non dyeing	

Comparative example 1

The example 1 in JP, A, H8-188527 filed previously was made the comparative example, and in the following test examples it was compared with the examples.

5 Synthetic aluminum silicate 4 wt.% is dispersed in purified water 76.5 wt.%. This is added with gelatin 1 wt.%, 2% Succinyl Kefiran aq. 0.1 wt.%, ethyleneglycol diglycidyl ether 0.05 wt.%, water soluble placenta extract 2 wt.%, allantoin 0.1 wt.% and methylparaben 0.2 wt.%, and the mixture is dissolved, further added with the mixture of sodium polyacrylate 6 wt.%, polyethylene glycol 10 wt.% and propylparaben 0.05 wt.% and stirred till these become homogeneous. Subsequently, the mixture is spreaded on a base fabric dyed into a pale blue color to make thickness about 1.4 mm and is stuck with film. Further, after the sticking, it is cut in a shape of the face, and parts of eyes, nose, mouth and tin are cut in an appropriate shape to afford the sheet-shaped pack agent.

10

15

20

Test example 1: Adhesiveness test

As for the examples 1, 6, 11, 18, 19 and 20 the results of the adhesiveness test are shown in Table 4. In the test was used the samples which were let stand in advance for not less than 30 min. under the condition of 25°C-60%Rh, and the test was carried out under the same condition. First, the sticking part of the sample was fixed on a horizontal stand in the upward direction. Subsequently, steel ball whose diameter was 20/32 inch was dropped from the height of 17.35 cm for the length

25

of 30 cm on the base agent in the sine curve and was rolled on the sticky surface. Here, the distance (cm) from the ground point of the steel ball to the reaching point was evaluated as the stick strength. Further, the material of the steel ball used was SUJ2 of JIS G4805 (High Carbon chromium Bearing Steels) and its precision was the upper class of JIS B1501 (Steel Ball for Ball Bearings).

Table 4

	Adhesive strength
Example 1	3 cm
Example 6	2 cm
Example 11	5 cm
Example 18	13 cm
Example 19	10 cm
Example 20	15 cm

Test example 2: Residual test of water content and oil content on skin surface

As for the examples 3, 10 and 13, the water content and the oil content on the skin surface were measured before use and after use, and the results in which the comparison was each made are shown in Table 5. After subjects were restricted for not less than 30 min. under the condition of 25°C-60%Rh, the water content of the cheek and the oil content of the forehead were measured using SKICOS 301 (manufactured by AMIQUE GROUP CO., LTD.) in the test. Subsequently, after the samples cut into 3 cm×3 cm were stuck on the cheek and the forehead of the

subjects for 15 min., the water content of the cheek and the oil content of the forehead were measured likewise.

Table 5

	Water content (mg H ₂ O/cm ²)		Oil content (μg/cm ²)	
	Before use	After use	Before use	After use
Example 3	50	103	72	19
Example 10	54	110	82	25
Example 13	51	120	65	14

5 Test example 3: Usability evaluation test

As for the example 1 and the comparative example 1 the usability test was carried out. In the test, to 50 persons of women in the age of twenties were donated both samples of the example 1 and the comparative example 1 with each one sheet for each person, and each sheet was let be used in a different day. Later, the evaluation was made in 5 degrees on "well absorbing feeling", "efficacy·penetrating feeling" and "relaxant feeling". The results are shown in Table 6 (well absorbing feeling), in Table 7 (efficacy·penetrating feeling) and in Table 15 8 (relaxant feeling).

Table 6 (a well absorbing feeling) (% representation)

	very good	good	not definite	not very good	not good
Example 1	18	60	10	12	0
Comparative Example 1	14	68	10	8	0

Table 7 (efficacy·penetrating feeling) (% representation)

	very good	good	not definite	not very good	not good
Example 1	18	42	26	14	0
Comparative Example 1	8	56	22	12	2

Table 8 (relaxant feeling) (% representation)

	very good	good	not definite	not very good	not good
Example 1	48	46	4	2	0
Comparative Example 1	40	46	10	4	0

Test example 4: Skin safety test

As for the examples 1, 2, 4, 7 and 17, and the comparative example 1, the skin safety test was carried out. The 48 hrs. closed patch test was carried out for 30 persons of healthy men and women. Changes of the skin were observed after 1hr. and 24 hrs. from the removal, and the irritancy degree of the skin was evaluated according to the below standards. The results are shown in Table 9.

-: No change is observed in the skin

±: Faint flare in the skin

+: Clear flare in the skin

++: Severe feeling in the skin

Table 9

Time after removal	Judgement Samples	+	+	±	-	Total (person)	Positive ratio (%)
							Not less than ±
After 1 hr.	Example 1	0	0	0	30	30	0.0
	Example 2	0	0	1	29	30	3.3
	Example 4	0	0	2	28	30	6.7
	Example 7	0	0	0	30	30	0.0
	Example 17	0	0	1	29	30	3.3
	Comparative Example 1	0	0	4	26	30	13.3
After 24 hr.	Example 1	0	0	0	30	30	0.0
	Example 2	0	0	0	30	30	0.0
	Example 4	0	0	0	30	30	0.0
	Example 7	0	0	0	30	30	0.0
	Example 17	0	0	0	30	30	0.0
	Comparative Example 1	0	0	1	29	30	3.3

As described above, it was found that the sheet-shaped pack agent of the invention had a moderate stickiness and was good in usability and excellent in the safety for the skin. It was also found that the effect to the skin and the relaxant effect by the fruit components were excellent.

Field of Industrial Application

10 In the sheet-shaped pack agent according to the present invention, the vitamin C, α -hydroxylic acid or other vitamins contained by fruit extracts activate the skin to bring a nice feeling and a relaxant effect by a soft aroma due to the excellent water holding capacity.

15 In particular, the sheet-shaped pack agent using

moisturising agents consisting of two components of the glycol and the fruit extract exhibits an excellent adhesiveness and agglutinativeness of the preparation, an excellent water holding capacity and shape retaining property before use, workability, 5 usability at the use, and a low irritancy to the skin.

The sheet-shaped pack agent comprising, in addition to moisturising agent, water soluble polymer, cross-linking agent, water and antiseptic are especially preferable.

Accordingly, the sheet-shaped pack agent of the invention is easy to handle and is excellent in terms of the safety, usability and effect to the skin; therefore it is suitable for the application in the field of quasi-drug or cosmetics used for a skindressing and beauty, and thus, very useful industrially.

What is claimed is:

1. A sheet-shaped pack agent containing a fruit extract whose density is 0.95-1.20, the pH is 3.3-5.0 and the sugar content is 19-23 wt.%.

5 2. The sheet-shaped pack agent according to claim 1, characterized in that it comprises a base fabric and a base agent.

3. The sheet-shaped pack agent according to claims 1 or 2, characterized in that the mixing proportion of the fruit extract in a total amount of a base agent is 0.0003-33.87 wt.%.

10 4. The sheet-shaped pack agent according to claim 3, characterized in that the proportion of the fruit extract in a total amount of a moisturising agent is 0.03-96.77 wt.%.

5. The sheet-shaped pack agent according to claims 3 or 4, characterized in that the base agent contains a moisturising agent 1-35 wt.%, a water soluble polymer 3-25 wt.%, a cross-linking agent 0.05-20 wt.% and water 60-95 wt.%.

6. The sheet-shaped pack agent according to claim 5, characterized in that the base agent further contains an antiseptic 0.005-10 wt.%

20 7. The sheet-shaped pack agent according to any one of claims 1 to 6, characterized in that a glycol is further contained.

8. The sheet-shaped pack agent according to claim 7, characterized in that the mix ratio of the glycol to the fruit extract is 1-35:0.01-30.

25 9. The sheet-shaped pack agent according to claims 7 or

10
15
20
25

8, characterized in that the glycol is polyethylene glycol and/or polypropylene glycol.

10. The sheet-shaped pack agent according to any one of claims 1 to 9, characterized in that the fruit extract comprises one or more species selected from the group consisting of rose fruit extract, orange extract, orange juice, raspberry extract, kiwi extract, cucumber extract, gardenia extract, grapefruit extract, crataegus fruit extract, Japanese pepper extract, crataegus extract, common juniper extract, jujube extract, duke extract, tomato extract, grape extract, loofah extract, lime juice, apple extract, apple juice, lemon extract and lemon juice.

11. The sheet-shaped pack agent according to any one of claims 1 to 10, characterized in that it is used as cosmetics for the beauty skin or a quasi-drug.

40
45
50
55
60
65
70
75
80
85
90
95
100

Abstract

Sheet-type packs which exert a skin cleaning effect while maintaining an effect of appropriately moistening the skin and
5 are excellent in the feel in using and safety to the skin. In particular, sheet-type packs containing fruit extracts.

Attorney Docket No. **K0448 /****DECLARATION FOR PATENT APPLICATION**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am an original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled:

SHEET-TYPE PACKS

the specification of which is attached hereto unless the following is checked:

was filed on January 28, 2000, as PCT International Application No.PCT/JP00/00459, bearing attorney docket No. K0448 /

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119(a)- (d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or section 365(a) of any PCT International application designating at least one country other than the United States listed below and have also identified below any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed:

Prior Foreign PCT International Application(s)and any priority claims under 35 U.S.C. §§119 and 365(a).(b):

			Priority Claimed
<u>11-19428</u> (Number)	<u>Japan</u> (Country-if PCT, so indicate)	<u>28/01/99</u> (DD/MM/YY Filed)	<input checked="" type="checkbox"/> [] YES NO
_____ (Number)	_____ (Country-if PCT, so indicate)	_____ (DD/MM/YY Filed)	[] [] YES NO
_____ (Number)	_____ (Country-if PCT, so indicate)	_____ (DD/MM/YY Filed)	[] [] YES NO

I hereby claim the benefit under Title 35, United States Code, §119(e) of any United States provisional application(s) listed below:

_____ (Application Number)	_____ (filing date)
_____ (Application Number)	_____ (filing date)

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s), or §365(c) of any PCT International application(s) designating the United States of America listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

(Application No.)	(filing date)	(status-patented, pending, abandoned)
(Application No.)	(filing date)	(status-patented, pending, abandoned)

PCT International Applications designating the United States:

(PCT Appl. No.)	(U.S. Ser. No.)	(PCT filing date)

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Robert M. Abrahamsen	<u>40,886</u>	Jason M. Honeyman	<u>31,624</u>	Stanley Sacks	<u>19,900</u>
John N. Anastasi	<u>37,765</u>	Robert E. Hunt	<u>39,231</u>	Christopher S. Schultz	<u>37,929</u>
Gary S. Engelson	<u>35,128</u>	Ronald J. Kransdorf	<u>20,004</u>	Alan B. Sherr	<u>42,147</u>
Neil P. Ferraro	<u>39,188</u>	Peter C. Lando	<u>34,654</u>	Robert A. Skrivanek, Jr.	<u>41,316</u>
Thomas G. Field	<u>45,596</u>	Helen C. Lockhart	<u>39,248</u>	Paul D. Sorkin	<u>39,039</u>
Stephen R. Finch	<u>42,534</u>	Matthew B. Lowrie	<u>38,228</u>	Alan W. Steele	<u>45,128</u>
Edward R. Gates	<u>31,616</u>	William R. McClellan	<u>29,409</u>	Mark Steinberg	<u>40,828</u>
Richard F. Giunta	<u>36,149</u>	Daniel P. McLoughlin	<u>46,066</u>	Joseph Teja, Jr.	<u>45,157</u>
Peter J. Gordon	<u>35,164</u>	James H. Morris	<u>34,681</u>	John R. Van Amsterdam	<u>40,212</u>
John C. Gorecki	<u>38,471</u>	M. Lawrence Oliverio	<u>30,915</u>	Michael G. Verga	<u>39,410</u>
William G. Gosz	<u>27,787</u>	Timothy J. Oyer	<u>36,628</u>	Robert H. Walat	<u>46,324</u>
Lawrence M. Green	<u>29,384</u>	Edward F. Perlman	<u>28,105</u>	Lisa E. Winsor	<u>44,405</u>
George L. Greenfield	<u>17,756</u>	Michael J. Pomicanek	<u>46,190</u>	David Wolf	<u>17,528</u>
James M. Hanifin, Jr.	<u>39,213</u>	Elizabeth R. Plumer	<u>36,637</u>	Douglas R. Wolf	<u>36,974</u>
Therese A. Hendricks	<u>30,389</u>	Randy J. Pritzker	<u>35,986</u>	Ivan D. Zitkovsky	<u>37,482</u>
Steven J. Henry	<u>27,900</u>	Robert E. Rigby, Jr.	<u>36,904</u>		
		Edward J. Russavage	<u>43,069</u>		

48

Address all telephone calls to John R. Van Amsterdam at telephone no. (617) 720-3500. Address all correspondence to:

John R. Van Amsterdam
c/o Wolf, Greenfield & Sacks, P.C.,
Federal Reserve Plaza
600 Atlantic Avenue
Boston, MA 02210-2211

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment,

or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Muta Kazunori

2. July. 01

Inventor's signature *1-00*

Date

Full name first or sole inventor:

Kazunori Muta

Citizenship:

Japan

Residence:

Saga, Japan J.PX

Post Office Address:

c/o HISAMITSU PHARMACEUTICAL CO., INC. , 408,
Tashirodaikanmachi, Tosu-shi, Saga 841-0017 JAPAN

Kose Yasuhisa

2. July. 01

Inventor's signature *2-00*

Date

Full name second or joint inventor:

Yasuhisa Kose

Citizenship:

Japan

Residence:

Saga, Japan J.PX

Post Office Address:

c/o HISAMITSU PHARMACEUTICAL CO., INC. , 408,
Tashirodaikanmachi, Tosu-shi, Saga 841-0017 JAPAN

Oishi Shigehiro

2. July. 01

Inventor's signature *3-00*

Date

Full name third or joint inventor:

Shigehiro Oishi

Citizenship:

Japan

Residence:

Saga, Japan J.PX

Post Office Address:

c/o HISAMITSU PHARMACEUTICAL CO., INC. , 408,
Tashirodaikanmachi, Tosu-shi, Saga 841-0017 JAPAN

Hinotani Tomoyuki

2. July. 01

Inventor's signature *4-00*

Date

Full name fourth or joint inventor:

Tomoyuki Hinotani

Citizenship:

Japan

Residence:

Saga, Japan J.PX

Post Office Address:

c/o HISAMITSU PHARMACEUTICAL CO., INC. , 408,
Tashirodaikanmachi, Tosu-shi, Saga 841-0017 JAPAN